**REVISIONS** NOTES (UNLESS OTHERWISE SPECIFIED)

1. BREAK ALL SHARP EDGES

2. REMOVE ALL BURRS FOR SAFE HANDLING 3890 С UPDATED WIRING DRAWING VD 01/29/2021 RT  $(4X \varnothing .391)$ (2X 4.25) (5.04) (3.37) AV-295--ROCKER SWITCH 5582 ─( 2X 3.50 ) ( 2X 6.07 ) POWDER COATED BASE (15.94) (13.00) PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE
SOLE PROPERTY OF APSCO Inc., ANY REPRODUCTION IN **APSCO** (1.50) PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION OF APSCO Inc. IS PROHIBITED. 8178 EAST 44TH STREET TULSA, OK 74145 TYPE OF PROJECTION (918) 622-5600 N/A HOIST/PTO/TG/ TARP VAL 13" CON (2.29) THIRD ANGLE PROJECTION UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: DWG. NO. 01/29/2021 RD AVC-295-TGMT-13 CHECKED DECIMALS SURFACE FINISH: 63
.X = ±.06 ANGLES ± 2°
.XX = ±.03 HOLES ± .005
.XXX = ±.010 HOLES LOCATION ± .005 ( 6.25 ) 01/29/2021 SHEET SIZE | SCALE | REVISION N/A APPROVED 1:2 01/29/2021 DO NOT SCALE DRAWING 01/29/2021 RT F/N: AVC-295-TGMT-13 SHT. 1 OF 3



